







REEVES COUNTY, TEXAS, USA

CENTEK S2 CENTRALIZERS HAI VE THE TIME TO GET TO BOTTOM IN SHAI E

Region:	North America
Location:	Reeves County, Texas

THE CHALLENGE

To improve running casing time in this 16,695ft well in the lower Wolfscamp shale, Reeves Country, Texas. This normally takes around 30-35 hours

THE SOLUTION

187 x Centek S2 centralizers with 374 Centek stop collars were used on a string of 420 joints.

Country: USA

THE RESULT

The whole job ran in only 16.5 hours, even with the centralizers and stop collars being fitted on the rig floor. In this 8.1/2" open hole, that's 2.36 minutes per joint, fitted.



S2® Award Winning Innovation

- Designed for well applications and geometries for vertical, horizontal ERD, close tolerance, or under reamed well conditions
- API Rated
- Non-welded smooth bow profile overall
- Integral bow design for increased strength and performance
- Zero weak points
- Zero start and running force with exceptional restoring force
- Low friction coefficient
- Minimum rotational torque losses
- Minimize stall out effect
- Enhanced rotation due to optimized

EXCELLENCE TO THE CORE

For information on Centek products or more case studies go to:

T +44 (0)1626 337636

Centek Ltd

E sales@centekgroup.com

Centek Inc

T +1 405 219 3200